



FRAMELESS IS MORE

BELGIAN
QUALITY
FACTORY



www.xinnix.eu



[@xinnixdoorsystems](https://www.facebook.com/xinnixdoorsystems)



[xinnix_door_systems](https://www.instagram.com/xinnix_door_systems)



[Xinnix Door Systems](https://www.linkedin.com/company/xinnix-door-systems)



[Xinnix Door Systems](https://www.youtube.com/channel/UC...)



[xdoorsystems](https://www.pinterest.com/xdoorsystems)

UNIVERSAL SYSTEMS FOR **FRAMELESS DOORS**





Certificates	P13
Stock items or bespoke	P15
Flush pull or flush push	P16
Frame types	P19
Wall finishes	P23
Integrated door closers	P25
Xtreme doors	P27
No handle	P29
Different locking solutions	P31
Plinths	P33
Finishing profile	P35
The finishing touch	P37





Consultes, Interieurdokter
Stefanie Faveere



The name “Xinnix” (pronounced “See-Nix” – a name that means “see nothing”) aptly describes the effect that our door frame systems help you achieve: seamless, invisible doors.

This flush, minimalist look is achieved with the Xinnix patented aluminum frame system, complete with gaskets, magnetic locks, and 3D adjustable concealed hinges.

The Xinnix pre-lacquered frame is available in white (RAL9016) or black (RAL9005) and can be painted to meet the aesthetic needs of your project.

Adjustable, concealed 3D hinges easily provide flush alignment of the door to achieve the ultra-sleek design that Xinnix is known for.

The patented Xinnix frameless door systems are designed to accent the beauty of your sleek, minimalist interior design.



EUROPEAN PATENT EP10173504





WITHOUT XINNIX



WITH XINNIX

VINTAGE



CERTIFICATES




ACOUSTIC DOORS

33 dB
Higher on demand.

Doctor's practice,
bedroom,...



FIRE-RATED DOORS



Entry apartment,
hotel door,
archive,...



SMOKE RESISTANCE

Sa - S200

Hospital,
hotel,...

BURGLAR RESISTANCE



ACOUSTIC AND FIRE-RATED DOORS

Museum,
concert building,...

FIRE-RATED AND SMOKE RESISTANT DOORS

School,
retirement homes,...



EN 1191

Resistance to repeated opening and closing - 200.000 cycles.



EN 1634-3:2004 + C1:2007

European Standard fire resistance testing fulfilled.



EN 13501-2:2016

Fire resistance and smoke control test requirements fulfilled.



NBN EN ISO 10140-2: 2010 - 717-1: 2013

Acoustic testing with laboratory measurement of sound insulation completed.

Xinnix Door Systems have passed Gyproc® Saint-Gobain Group Anti-Cracking testing.





STOCK ITEMS OR BESPOKE

Xinnix has a stock program with plenty of dimensions directly available.

Bespoke items can be made rapidly and precisely upon request.

Stock widths (door panel widths in mm):

630	680		
710	726	730	780
810	826	830	880
910	926	930	980
1030			

Max width: 1230 mm

Stock heights (door panel heights in mm):

1972
2015
2040
2115
2315
2410

Max height: 3500 mm

Stock articles

Delivery time: 5 working days

Bespoke articles

Delivery time: 15 working days



FLUSH PULL OR FLUSH PUSH



LEFT DOOR
CLOCKWISE

PULL



PUSH



Xinnix uses the European standards to identify the opening direction. During the installation of our universal door frames you can decide if it should be a flush push in or flush pull out door. After the walls are finished you can't see the difference between a push and a pull door.

The frames can be universally used in every wall type, brick wall or stud walls, in every wall thickness and with a variety of possible wall finishes.



RIGHT DOOR
COUNTER CLOCKWISE

PULL



PUSH







Keypharm Oostkamp
B2Ai Architecten

FRAME TYPES


SINGLE DOORS



DOUBLE DOORS









Seppe Teunen

WALL FINISH



Our universal door frames can be finished with diverse materials.

Some examples:

- » Plaster
- » Gypsum board
- » Laminated wall
- » Veneer
- » Tile
- » Stone
- » Glass
- » Mirror
- » Specials
- » ...






INTEGRATED DOOR CLOSERS

Xinnix offers a wide range of door closer systems that can be integrated in the universal door frame.

From integrated soft open and close systems, to self-closing doors to fully automatic doors. The closers are installed within the Xinnix door frame and remain invisible.



without Xinnix



with Xinnix



XTREME DOORS

Xinnix also has solutions for unconventional doors; extreme heights, widths or heavy doors.

We have specialised hardware in our range that can carry doors up to **200 kg**.



Architecten air-tuor
H+C



NO HANDLE



NoHa lock

Doors with integrated handles are up and coming. These are operated with our magnetic roller lock NZ.

These can be locked with a hook lock, which can have the same finish as the frames, allowing privacy where necessary.



NZ magnetic lock + hook lock



Xinnix pull H160



Xinnix pull H180



NoHa slide



LOCKING SOLUTIONS



Next to our standard range of magnetic locks we also have a whole array of other locking solutions.

This includes but is not limited to:

- » Multipoint locks: manual or electrically operated
- » Access control powered by badge reader, fingerprint reader, home automation,...



New Driessens
H+C




PLINTHS


To continue the sleek design of the doors we also have integrated plinths in our range.

These can be finished with a (lacquered) aluminium cover that clicks inside of the base profile. Alternatively you can also fit a stone or HPL piece inside to create an infinity effect matching with the floor.

XP50



XP50.04





FINISHING PROFILE

The finishing profile XA-FIN allows you to easily finish the walls regardless of the wall thickness.

The profile features an integrated aluminum corner bead, which speeds up the finishing process and reinforces the corners.





THE FINISHING TOUCH



IZZI - A001




ELLE - A002



EMME - A003




HANNAH - A004



ANNA - A004.22

Houtmerk



Klou Architecten
Verbrugge Interieur

Would you like to discover more?

This catalogue gives a general overview of our range.
Are you looking for technical information or do you have a special case?

More information can be found in our extended technical catalogue:





info@xinnix.eu
www.xinnix.eu