







FRAMELESS IS MORE

 [www.xinnix.eu](http://www.xinnix.eu)

 @xinnixdoorsystems

 xinnix\_door\_systems

 Xinnix Door Systems

 Xinnix Door Systems

 xdoorsystems

UNIVERSAL SYSTEMS FOR **FRAMELESS DOORS**





Certificates	<b>P13</b>
Stock items or bespoke	<b>P15</b>
Flush pull or flush push	<b>P16</b>
Frame types	<b>P19</b>
Wall finishes	<b>P23</b>
Integrated door closers	<b>P25</b>
Xtreme doors	<b>P27</b>
No handle	<b>P29</b>
Different locking solutions	<b>P31</b>
Plinths	<b>P33</b>
Finishing profile	<b>P35</b>
The finishing touch	<b>P37</b>





Consultes, Interieurdokter  
Stefanie Faveere





The name “Xinnix” (pronounced “See-Nix” – a name that means “see nothing”) aptly describes the effect that our door frame systems help you achieve: seamless, invisible doors.


This flush, minimalist look is achieved with the Xinnix patented aluminum frame system, complete with gaskets, magnetic locks, and 3D adjustable concealed hinges.

The Xinnix pre-lacquered frame is available in white (RAL9016) or black (RAL9005) and can be painted to meet the aesthetic needs of your project.

Adjustable, concealed 3D hinges easily provide flush alignment of the door to achieve the ultra-sleek design that Xinnix is known for.

The patented Xinnix frameless door systems are designed to accent the beauty of your sleek, minimalist interior design.

 EUROPEAN PATENT EP10173504





**WITHOUT XINNIX**



**WITH XINNIX**

VINTAGE



The finishing touch

# CERTIFICATES




## ACOUSTIC DOORS

Standard solutions 33 dB  
Higher on demand

Bedroom,  
doctor's practice,...



## FIRE-RATED DOORS



Entry apartment,  
hotel door,  
archive,...



## SMOKE RESISTANCE

Sa - S200

Hospital,  
hotel,...



## ACOUSTIC AND FIRE-RATED DOORS

Offices, schools, retirement homes,...



### EN 1191

Resistance to repeated opening and closing - 200.000 cycles.



### EN 13501-2:2016

European Standard fire resistance testing fulfilled.



### EN 1634-3:2004 + C1:2007

Fire resistance and smoke control test requirements fulfilled.



### ISO 10140-2:2010

Acoustic testing with laboratory measurement of sound insulation completed.

Xinnix Door Systems have passed Gyproc® Saint-Gobain Group Anti-Cracking testing.





The finishing touch



# STOCK ITEMS OR BESPOKE

Xinnix has a stock program with plenty of dimensions directly available.

Bespoke items can be made rapidly and precisely upon request.

Stock widths (door panel widths in mm):

<b>630</b>	<b>680</b>		
<b>710</b>	<b>726</b>	<b>730</b>	<b>780</b>
<b>810</b>	<b>826</b>	<b>830</b>	<b>880</b>
<b>910</b>	<b>926</b>	<b>930</b>	<b>980</b>
<b>1030</b>			

Max width: 1230 mm

Stock heights (door panel heights in mm):

**1972**  
**2015**  
**2040**  
**2115**  
**2315**  
**2410**

Max height: 3500 mm

# FLUSH PULL OR FLUSH PUSH



**LEFT DOOR**  
CLOCKWISE

## PULL



## PUSH






Xinnix uses the European standards to identify the opening direction. During the installation of our universal door frames you can decide if it should be a flush push in or flush pull out door. After the walls are finished you can't see the difference between a push and a pull door.

The frames can be universally used in every wall type, brick wall or stud walls, in every wall thickness and with a variety of possible wall finishes.



**RIGHT DOOR**  
COUNTER CLOCKWISE

**PULL**



**PUSH**






The finishing touch


Keypharm Oostkamp  
B2Ai Architecten

# FRAME TYPES

## SINGLE DOORS




## DOUBLE DOORS





The finishing touch





# WALL FINISH



Our universal door frames can be finished with diverse materials.

Some examples:

- » Plaster
- » Gypsum board
- » Laminated wall
- » Veneer
- » Tile
- » Stone
- » Glass
- » Mirror
- » Specials
- » ...










# INTEGRATED DOOR CLOSERS

Xinnix offers a wide range of door closer systems that can be integrated in the universal door frame.

From integrated soft open and close systems, to self-closing doors to fully automatic doors. The closers are installed within the Xinnix door frame and remain invisible.



without Xinnix



with Xinnix



 The finishing touch

Keypharm Oostkamp  
B2Ai Architecten

# XTREME DOORS

Xinnix also has solutions for unconventional doors; extreme heights, widths or heavy doors.

We have specialised hardware in our range that can carry doors up to **200 kg**.



Architecten air-tuor  
H+C



 The finishing touch

# NO HANDLE

Doors with integrated handles are up and coming. These are operated with our magnetic roller lock NZ.

These can be locked with a hook lock, which can have the same finish as the frames, allowing privacy where necessary.



NoHa lock



NZ magnetic lock + hook lock




Xinnix pull H160



Xinnix pull H180



NoHa slide



 The finishing touch

# LOCKING SOLUTIONS



Next to our standard range of magnetic locks we also have a whole array of other locking solutions.

This includes but is not limited to:

- » Multipoint locks: manual or electrically operated
- » Access control powered by badge reader, fingerprint reader, home automation,...



New Driessens  
H+C





# PLINTHS


To continue the sleek design of the doors we also have integrated plinths in our range.

These can be finished with a (lacquered) aluminium cover that clicks inside of the base profile. Alternatively you can also fit a stone or HPL piece inside to create an infinity effect matching with the floor.

## XP50



## XP50.04





# FINISHING PROFILE

The finishing profile XA-FIN allows you to easily finish the walls regardless of the wall thickness.

The profile features an integrated aluminum corner bead, which speeds up the finishing process and reinforces the corners.





# THE FINISHING TOUCH



**IZZI - A001**




**ELLE - A002**



**EMME - A003**




**HANNAH - A004**



**ANNA - A004.22**

Houtmerk



Klou Architecten  
Verbrugge Interieur

### Would you like to discover more?

This catalogue gives a general overview of our range.  
Are you looking for technical information or do you have a special case?

More information can be found in our extended technical catalogue:







[info@xinnix.eu](mailto:info@xinnix.eu)  
[www.xinnix.eu](http://www.xinnix.eu)